# Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2020

# **Reclamation District No. 2068 Yolano**

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/24/2020 04/24/2020	David Julian

							_
LM Start		Rating **	Α	Issue No.		3	
LM End		Issue Type +	Ma	Location *			
Category Earthen Levee			GPS La	atitude	e/Longitude		
Calegory				Start		End	
Item		s & Maintena	nce		٥		0
пеш	Manuals				0		0
DWR ID DWR_RD2068_01_f _ 2014_3							
		Comn	nent Cod	de			
		Inspecto	or Comm	nent			
RD 2068 h	as the O&	M Manual on	hand.				

No Photos

LM Start		Rating **	Α	Issue No.		4	
LM End		Issue Type +	Ma	Location *			
Category	Earthen L	evee		GPS La	atitud	le/Longitude	
Calegory				Start		End	
Item	Flood Pre	paredness &	Training		0		0
пеш					0		0
DWR ID	DWR_RD2	068_01_f _ 201	4_4				
		Comn	nent Coc	de			
		Inspecto	or Comm	nent			
RD 2068 d	rew memb	ers are traine	d yearly.				

No Photos

LM Start		Rating **	Α	Issue No.		5		
LM End		Issue Type +	Ма	Location *				
Category Earthen Levee			GPS La	atituc	de/Longitude			
Calegory				Start		End		
Item		y Supplies &			0		0	
item	Equipment Equipment						0	
DWR ID	DWR_RD2	068_01_f _ 201	4_5					
		Comn	nent Cod	de				
		Inspecto	or Comm	nent				
RD 2068 h	RD 2068 has emergency supplies stored.							

No Photos

\*\* Rating
LS: Land Side N/A: Not Applicable
WS: Water Side CR: Crown

\*\* Rating
A: Acceptable N: Not Inspected/Rated
M: Minimally Acceptable
C: Corrected
D: Unacceptable
A: Not Inspected/Rated
C: Corrected
C: Corrected
A/W: Acceptable but Monitor & Maintain

\*\* Issue Type
Ma: Maintenance Deficiancy
Ob: Design & System Obsolescence
En: Enforcement

## Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2020

## **Reclamation District No. 2068 Yolano**

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/24/2020 04/24/2020	David Julian

LM Start	0.51	Rating **	U	Issue No.		9
LM End	5.45	Issue Type +	Ма	Location *		WS
Category	evee	GPS La	atitud	e/Longitude		
Calegory	gory			Start		End
Item	Vegetatio	getation			17 °	38.329537 °
item				-121.6937	98 °	-121.694057 °
DWR ID	DWR_RD2	068_01_s _ 202	20_9			·
Comment Code						
V1 : Control annual grass and weeds on the levee slopes and easements.						

Inspector Comment



View looking downstream at annual vegetation on the waterside slope (Spring 2020).

LM Start	0.51	Rating **	U	Issue No.		10	
LM End	5.45	Issue Type +	Ma	Location *	LS		
Category	Earthen L	evee		GPS Latitude/Longitude			
Calegory				Start		End	
Item	Vegetatio	n		38.4012	17°	38.329537 °	
item				-121.693798 °		-121.694057 °	
DWR ID	DWR_RD2	068_01_s _ 202	20_10				
		Comn	nent Cod	de			
V1 : Contro	ol annual g	grass and wee	ds on th	e levee slo	pes	and	
easements.							
Inspector Comment							





View looking downstream at annual vegetation on the landside slope (Spring 2020).

Photo 1 of 1: SP\_2020\_RD2068\_193\_13\_20200424\_00020.jpg

LM Start	2.50	Rating **	U	Issue No.		13		
LM End	5.45	Issue Type +	Ма	Location *		CR		
Category	Earthen L	evee		GPS La	atitud	e/Longitude		
Calegory				Start		End		
Item	Vegetatio	n		38.3722	93 °	38.329537 °		
пеш				-121.6939	72 °	-121.694057 °		
DWR ID	DWR_RD2	068_01_s _ 202	20_13					
		Comn	nent Cod	de				
V9 : Keep	the crown	roadway free	of veget	ation.				
Inspector Comment								



View looking downstream at vegetation on the crown (Spring 2020).

Location + Issue Type Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence LS: Land Side N/A: Not Applicable : Acceptable : Minimally Acceptable N : Not Inspected/Rated WS : Water Side C : Corrected CR : Crown U : Unacceptable A/W: Acceptable but Monitor & Maintain En: Enforcement

## Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2020

### **Reclamation District No. 2068 Yolano**

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/24/2020 04/24/2020	David Julian

3.11	Rating **	A/W	Issue No.		14		
3.34	Issue Type +	Ma	Location *		LS		
Earthen L	evee		GPS La	atitud	e/Longitude		
			Start		End		
Erosion /	Bank Caving		38.3634	50 °	38.360200 °		
			-121.6940	30 °	-121.694100 °		
DWR ID LMA-281							
	Comn	nent Cod	de				
and monito	or erosion site						
	Inspecto	or Comm	nent				
This was a 2017 Storm Damage site. The damage consists of scour, cracking, and sloughing of the landside slope. Site ID No:454 Site Designation:LMA-281							
	3.34 Earthen L Erosion /   LMA-281  and monito 2017 Storage consists 454 nation:LMA	3.34 Issue Type + Earthen Levee Erosion / Bank Caving  LMA-281  Command monitor erosion site Inspector 2017 Storm Damage sige consists of scour, craft 454 hation:LMA-281	3.34 Issue Type + Ma  Earthen Levee  Erosion / Bank Caving  LMA-281  Comment Cocand monitor erosion site.  Inspector Comment Cocand monitor erosion site.  Quantum 2017 Storm Damage site.  Que consists of scour, cracking, and 454  mation:LMA-281	3.34 Issue Type + Ma Location *  Earthen Levee GPS La Start  Erosion / Bank Caving 38.3634 -121.6940  LMA-281  Comment Code and monitor erosion site.  Inspector Comment 2017 Storm Damage site. ge consists of scour, cracking, and sloughin 454 hation:LMA-281	3.34 Issue Type + Ma Location *  Earthen Levee GPS Latitud Start  Erosion / Bank Caving 38.363450 ° -121.694030 °  LMA-281  Comment Code and monitor erosion site.  Inspector Comment 2017 Storm Damage site. ge consists of scour, cracking, and sloughing of		

Rating \*\* С Issue No. 3.27 11 LM Start Issue Type + Location \* LM End 3.48 LS Earthen Levee GPS Latitude/Longitude Category Start End 38.361087 ° Erosion / Bank Caving 38.358140 ° Item -121.694055 ° -121.694057 DWR ID DWR\_RD2068\_01\_s \_ 2019\_11 Comment Code E1: Note and monitor erosion site. Inspector Comment District graded the levee to fix the erosion spots. Monitor to see if

rainwater erodes the slope again.

No Photos

No Photos

## Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2020

### **Reclamation District No. 2068 Yolano**

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/24/2020 04/24/2020	David Julian

LM Start	3.73	Rating **	A/W	Issue No.		27	
LM End	3.74	Issue Type +	Ма	Location *		LS	
Catagony	GPS Latitude/Longitude						
Calegory	Category					End	
Item	Erosion /	Bank Caving		38.35450	00°	38.354400 °	
пеш					00°	-121.694000 °	
DWR ID	LMA-289						

Comment Code

E1: Note and monitor erosion site.

Inspector Comment

This was a 2017 Storm Damage site.

The damage consists of scour, cracking, and sloughing of the lower landside levee slope.

Site ID No:462

Site Designation:LMA-289

4/24/2020 Field Notes: Vegetation too thick to view. Verify in the fall.



LM Start	4.30	Rating **	A/W	Issue No.		28	
LM End	4.31	Issue Type +	Ма	Location *		LS	
Category Earthen Levee			GPS Latitude/Longitude				
Calegory				Start		End	
Item	Erosion / Bank Caving			38.34620	o°	38.346100 °	
iteiii				-121.69400	o°	-121.694000 °	
DWR ID	LMA-290						

Comment Code E1: Note and monitor erosion site.

Inspector Comment

This was a 2017 Storm Damage site.

The damage consists of scour, cracking, and sloughing of the lower landside levee slope.

Site ID No:463

Site Designation:LMA-290

4/24/2020 Field Notes: Vegetation is too thick to view. Verify rating in the fall.

Photo 1 of 1: SP\_2020\_RD2068\_193\_28\_20200304\_00011.jpg



LS : Land Side N/A: Not Applicable

WS : Water Side CR : Crown

Friday, May 29, 2020 03:38

: Acceptable Minimally Acceptable U : Unacceptable

N : Not Inspected/Rated

C : Corrected A/W: Acceptable but Monitor & Maintain + Issue Type

Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence En: Enforcement

# Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2020

# **Reclamation District No. 2068 Yolano**

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 01 Yolo Bypass	Right	5.48	04/24/2020 04/24/2020	David Julian

LM Start	4.39	Rating **	A/W	Issue No.		29	
LM End	4.40	Issue Type +	Ма	Location *	LS		
Category	Earthen Levee						e/Longitude
Category				Start		End	
Item	Erosion / Bank Caving			38.3449	000°	38.344800 °	
item				-121.694000 °		-121.694000 °	
DWR ID	LMA-291						
		Comn	nent Cod	de			
E1 : Note	and monito	or erosion site					
Inspector Comment							
	This was a 2017 Storm Damage site.						
The dama	ge consist	s of scour, cra	acking, a	nd sloughir	ng of	the lower	

Site ID No:464 Site Designation:LMA-291 4/24/2020 Field Notes: Vegetation too thick to view. Verify in the fall.

landside levee slope.



CR : Crown

LS : Land Side N/A: Not Applicable

WS : Water Side

A : Acceptable
M : Minimally Acceptable
U : Unacceptable

N : Not Inspected/Rated C : Corrected

+ Issue Type

Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence

En : Enforcement

## Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2020

### **Reclamation District No. 2068 Yolano**

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 02 Back Levee	Left	3.22	04/24/2020 04/24/2020	David Julian

LM Start	0.02	Rating **	U	Issue No.	10			
LM End	0.84	Issue Type +	Ma	Location *	LS			
Category Earthen Levee						titude/Longitude		
Category			Start		End			
Vegetation		38.358384 °		38.370323 °				
пеш			-121.740371 °		-121.740162 °			
DWR ID	DWR_RD2	9_10						
Comment Code								
V1 : Control annual grass and weeds on the levee slopes and easements.								
Language Comment								

Inspector Comment



View looking upstream at annual vegetation on the landside slope (Spring 2020).

LM Start	0.11	Rating **	М	Issue No.		12	
LM End	0.84	Issue Type +	Ма	Location *		WS	
Category Earthen Levee			GPS Latitude/Longitude				
Category		Start		End			
Item	Vegetatio	Vegetation			77 °	38.370323	0
пеш		-121.740369 °		-121.740162	0		
DWR ID	DWR_RD2068_02_s _ 2020_12						

Comment Code

V1: Control annual grass and weeds on the levee slopes and easements.

Inspector Comment



View looking upstream at annual vegetation on the waterside slope (Spring 2020).

LM Start	1.02	Rating **	М	Issue No.		11
LM End	3.22	Issue Type +	Ma	Location *	CR	
Category	Earthen L	evee		GPS La	atitud	e/Longitude
Calegory			Start		End	
ltem Vegetation			38.3727	43 °	38.398730 °	
			-121.739080 °		-121.715690 °	
DWR ID	DWR_RD2	DWR_RD2068_02_s _ 2020_11				
		Comn	nent Cod	de		
V9 : Keep	the crown	roadway free	of veget	ation.		
Inspector Comment						



View looking upstream at vegetation on the crown (Spring 2020).

Location + Issue Type Ma : Maintenance Deficiancy
Ob : Design & System Obsolescence LS: Land Side N/A: Not Applicable A : Acceptable M : Minimally Acceptable N : Not Inspected/Rated WS : Water Side C : Corrected CR : Crown U : Unacceptable A/W: Acceptable but Monitor & Maintain En: Enforcement

## Maintenance Issue Types Only, Levee Inspection Report By Mile - Spring 2020

## Reclamation District No. 2068 Yolano

Waterway	Bank	Unit Miles	Inspection Start/End	Inspector
Unit No. 02 Back Levee	Left	3.22	04/24/2020 04/24/2020	David Julian

LM Start	3.15	Rating **	М	Issue No.	21					
LM End	3.15	Issue Type +	Ма	Location *						
Category	Supplemental			Supplemental G				tituc	de/Longitude	
Calegory				Start		End				
Item	DWR UC	DWR UCIP LMA Responsibility			3°	38.397933	0			
пеш				-121.71640	6°	-121.716406	0			
DWR ID	19352									
Comment Code										

#### Inspector Comment

DS\_ID:19352 FS\_ID:42725 EP\_NO: 10164

Repair Type: Non-Urgent Crossing Status: Found

UCIP Comments: 09/14/2017 ABO issued as Permit No. 10164 defines the 48-inch pipe as a drainpipe. (DWR UCIP - O. Magana) 08/13/2013 Appears abandoned and if so should be done properly. Pipe burried except for small opening. (DWR UCIP - W. Wylie) FIELD\_STRUCT\_DESC: \*ABANDONED\* 48-inch corrugated metal drainage pipe through the levee, 4 feet below the crown. (48-inch pipe [HLM 3.20] authorized under Automatic Board Order (ABO) issued as Permit No. 10164, 1974 - Reclamation District No. 2068). [Additional Reference(s): DWR Levee Log, 1992. USACE Sacramento O&M Manual 109, April 1962, (HLM 3.20)].



Pipe burried but visible at toe of east side of levee.

\* Location